

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	114122	(attach\$4 or detach\$4 or mount\$3 or secur\$3 or clip\$4) near9 (goggle or eye or glass)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 14:34
L2	151002	(timing or timer) and (buttons or switches or select\$3) and (display\$3 or LED)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 14:35
L3	69	1 and 2 and (single or repeat\$3) near4 (frequenc\$3 or sound) and (portable or handheld or mobile)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 14:53
L4	69	3 and (frequency or tone or sound)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 14:59
L5	26	3 and (train\$3 or exercis\$3 or coach\$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 14:55
L6	24	3 and ((recorded or prerecorded or repeat\$3 or replay\$3) near3(frequency or tone or sound))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 15:04
L7	51	3 and programm\$5	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 15:11
L8	47	3 and ((increas\$3 or higher or louder or decreas\$3 or quiet\$3 or lower) near7 (frequency or tone or sound))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 15:05
L9	42	3 and (chip or IC)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/05/27 15:11

US 6825875 B1	Hybrid recording unit	348/207.9; 348/158
US 6563532 B1	Low attention recorder	348/158; 348/373; 348/376
US 6008720 A	Portable timer alarm	340/309.1; 340/407.1; 368/156; 368/63
US 5409445 A	Brain wave synchronizer	600/27
US 5125010 A	Lap counting system	377/24.2; 377/112; 377/5; 482/55
US 6898299 B1	Method and system for	382/115; 340/5.52; 340/5.82; 600/506
US 6858003 B2	Performing cardiac surgery	600/103; 600/228; 606/1; 901/2
US 6836332 B2	Instrument and method	356/436; 356/73
US 6828587 B2	Semiconductor device	257/72; 438/166
US 6754912 B1	Human body cleaner	4/420.2; 239/468; 4/420.4
US 6686193 B2	High throughput method	435/285.2; 435/287.1; 435/288.4; 435/288.7
US 6622276 B2	Recording medium, in	714/752; 369/14
US 6611297 B1	Illumination control method	348/739; 348/602
US 6580405 B1	Information processing	345/7; 345/103; 345/20; 345/206; 345/4
US 6579235 B1	Method for monitoring	600/398; 600/399; 600/400; 600/561
US 6527716 B1	Microporation of tissue	600/309; 600/310; 600/316; 600/365; 600/
US 6496265 B1	Fiber optic sensors array	356/479; 356/35.5
US 6493878 B1	Method and apparatus	725/144; 725/151
US 6468265 B1	Performing cardiac surgery	606/1; 600/103; 600/229
US 6460155 B1	Information reproduction	714/752; 369/14
US 6307589 B1	Head mounted camera	348/333.0; 345/8; 345/9; 348/222.1; 348/240
US 6223018 B1	Intra-body information	455/41.1; 379/55.1
US 6142939 A	Microporation of human	600/309; 600/365; 600/573; 601/2; 604/29
US 6141034 A	Immersive imaging method	348/36; 348/48
US 6071229 A	Video or compact disk	600/27
US 6058498 A	Dot code and information	714/752; 369/14; 369/275.1
US 6052813 A	Dot code including a	714/752; 369/275.3
US 6023616 A	Satellite broadcast receiver	455/344; 455/11.1; 455/3.02
US 6014441 A	Method and system for	379/361; 379/283; 379/347; 379/418
US 5949874 A	Method and system for	379/283; 379/361; 379/386; 379/88.02; 379/
US 5907597 A	Method and system for	379/93.03; 340/5.84; 379/188; 379/283; 379/
US 5905429 A	Audio label	340/384.6; 340/547; 340/571; 340/583; 704/
US 5896403 A	Dot code and information	714/752; 369/14; 369/275.1
US 5885211 A	Microporation of human	600/309; 600/365; 600/573; 601/2; 604/29
US 5863403 A	Digital DNA typing	204/612; 204/416
US 5825871 A	Information storage device	379/357.0; 235/380; 379/355.08; 379/357.04
US 5818930 A	Auto-dialer housing	379/444; 379/355.01
US 5794138 A	Satellite broadcast system	455/344; 343/713; 369/2; 455/156.1; 455/3
US 5790177 A	Digital signal recorder	725/87; 375/240.01; 725/104
US 5767913 A	Mapping system for	375/240.1; 348/473; 348/484
US 5759044 A	Methods and apparatus	434/307R; 348/383; 434/365
US 5748382 A	System for stretching	359/676; 359/666

L<sub>3, 4, 9</sub>

US 5745555 A	System and method u	379/93.03 235/380; 379/355.04; 379/361; 37
US 5732133 A	System and method f	379/357.03; 379/196; 379/207.03; 379/207.13
US 5727098 A	Oscillating fiber optic	385/31 385/22; 385/38; 385/47
US 5658133 A	Pump chamber back p	417/63 417/479; 73/19.1
US 5630710 A	Ambulatory infusion p	417/326 417/479
US 5583933 A	Method and apparatus	379/357.04; 235/380; 379/257; 379/354; 379/3
US 5551850 A	Pump chamber and v	417/474 417/479
US 5549805 A	Digital DNA typing	204/461 204/612; 356/344
US 5513130 A	Methods and apparatus	703/2
US 5482446 A	Ambulatory infusion p	417/474 417/234; 604/153
US 5482438 A	Magnetic detent and p	417/44.1 417/474
US 5478211 A	Ambulatory infusion p	417/234 607/153
US 5422653 A	Passive virtual reality	345/9 359/630
US 5410371 A	Display system emplo	348/769 348/754; 359/285
US 5336467 A	Chemical analyzer	422/64 222/390; 422/100; 422/63; 422/82
US 5306228 A	Brain wave synchroni	600/27
US 5255211 A	Methods and apparatus	703/6 700/90
US 5250262 A	Chemical analyzer	422/64 422/63; 422/82.05; 436/46
US 5235326 A	Multi-mode identificati	340/10.41 340/10.34; 340/5.8
US 5207880 A	DNA sequencing	204/461 204/467; 204/612; 204/618
US 5089229 A	Chemical analyzer	422/64 422/63; 422/82.05; 436/46
US 4902107 A	Ferroelectric liquid cry	349/72 345/101; 349/37
US 4864462 A	Capacitive gas detect	361/280 324/663; 338/34; 361/525
US 4795968 A	Gas detection method	422/88 324/674; 324/71.1; 324/71.5; 338
US 3824597 A	DATA TRANSMISSIO	370/215 370/276; 370/477; 455/3.05
US 3766560 A	RADIO RECEIVING A	342/428
US 3707710 A	DEVICE FOR TESTIN	180/272 340/576; 600/558

L<sub>3,4</sub>

US 6825875 B1	Hybrid recording unit	348/207.9; 348/158
US 6563532 B1	Low attention recorder	348/158; 348/373; 348/376
US 6008720 A	Portable timer alarm	340/309.1; 340/407.1; 368/156; 368/63
US 6828587 B2	Semiconductor device	257/72; 438/166
US 6754912 B1	Human body cleaner	4/420.2; 239/468; 4/420.4
US 6686193 B2	High throughput method	435/285.2; 435/287.1; 435/288.4; 435/288.7
US 6622276 B2	Recording medium, in	714/752; 369/14
US 6580405 B1	Information processing	345/7; 345/103; 345/20; 345/206; 345/43
US 6579235 B1	Method for monitoring	600/398; 600/399; 600/400; 600/561
US 6460155 B1	Information reproduction	714/752; 369/14
US 6307589 B1	Head mounted camera	348/333.0; 345/8; 345/9; 348/222.1; 348/240
US 6141034 A	Immersive imaging method	348/36; 348/48
US 6058498 A	Dot code and information	714/752; 369/14; 369/275.1
US 6052813 A	Dot code including a pattern	714/752; 369/275.3
US 6014441 A	Method and system for	379/361; 379/283; 379/347; 379/418
US 5949874 A	Method and system for	379/283; 379/361; 379/386; 379/88.02; 379/
US 5907597 A	Method and system for	379/93.03; 340/5.84; 379/188; 379/283; 379/
US 5905429 A	Audio label	340/384.6; 340/547; 340/571; 340/583; 704/
US 5896403 A	Dot code and information	714/752; 369/14; 369/275.1
US 5794138 A	Satellite broadcast system	455/344; 343/713; 369/2; 455/156.1; 455/3
US 5748382 A	System for stretching	359/676; 359/666
US 5422653 A	Passive virtual reality	345/9; 359/630
US 4902107 A	Ferroelectric liquid crystal	349/72; 345/101; 349/37
US 3824597 A	DATA TRANSMISSION	370/215; 370/276; 370/477; 455/3.05

L 6

US 6825875 B1	Hybrid recording unit	348/207.9; 348/158
US 6563532 B1	Low attention recorder	348/158 348/373; 348/376
US 5409445 A	Brain wave synchronizer	600/27
US 5125010 A	Lap counting system	377/24.2 377/112; 377/5; 482/55
US 6898299 B1	Method and system for	382/115 340/5.52; 340/5.82; 600/506
US 6836332 B2	Instrument and method	356/436 356/73
US 6686193 B2	High throughput method	435/285.2 435/287.1; 435/288.4; 435/288.7
US 6622276 B2	Recording medium, in	714/752 369/14
US 6579235 B1	Method for monitoring	600/398 600/399; 600/400; 600/561
US 6527716 B1	Microporation of tissue	600/309 600/310; 600/316; 600/365; 600/366
US 6493878 B1	Method and apparatus	725/144 725/151
US 6460155 B1	Information reproduction	714/752 369/14
US 6142939 A	Microporation of human	600/309 600/365; 600/573; 601/2; 604/290
US 6141034 A	Immersive imaging method	348/36 348/48
US 6071229 A	Video or compact disk	600/27
US 6058498 A	Dot code and information	714/752 369/14; 369/275.1
US 6052813 A	Dot code including a	714/752 369/275.3
US 6023616 A	Satellite broadcast receiver	455/344 455/11.1; 455/3.02
US 6014441 A	Method and system for	379/361 379/283; 379/347; 379/418
US 5949874 A	Method and system for	379/283 379/361; 379/386; 379/88.02; 379/88.03
US 5907597 A	Method and system for	379/93.03 340/5.84; 379/188; 379/283; 379/284
US 5905429 A	Audio label	340/384.6 340/547; 340/571; 340/583; 704/2
US 5896403 A	Dot code and information	714/752 369/14; 369/275.1
US 5885211 A	Microporation of human	600/309 600/365; 600/573; 601/2; 604/290
US 5825871 A	Information storage device	379/357.0; 235/380; 379/355.08; 379/357.04
US 5818930 A	Auto-dialer housing	379/444 379/355.01
US 5794138 A	Satellite broadcast system	455/344 343/713; 369/2; 455/156.1; 455/3
US 5790177 A	Digital signal recorder	725/87 375/240.01; 725/104
US 5767913 A	Mapping system for position	375/240.1; 348/473; 348/484
US 5759044 A	Methods and apparatus	434/307R 348/383; 434/365
US 5748382 A	System for stretching	359/676 359/666
US 5745555 A	System and method using	379/93.03 235/380; 379/355.04; 379/361; 379/362
US 5732133 A	System and method for	379/357.0; 379/196; 379/207.03; 379/207.13
US 5658133 A	Pump chamber back	417/63 417/479; 73/19.1
US 5630710 A	Ambulatory infusion pump	417/326 417/479
US 5583933 A	Method and apparatus	379/357.0; 235/380; 379/257; 379/354; 379/355
US 5551850 A	Pump chamber and valve	417/474 417/479
US 5513130 A	Methods and apparatus	703/2
US 5482446 A	Ambulatory infusion pump	417/474 417/234; 604/153
US 5482438 A	Magnetic detent and	417/44.1 417/474
US 5482437 A	Ambulatory infusion pump	417/234 607/153
US 5482436 A	Display system employing	348/769 348/754; 359/285

L8

US 5336467 A	Chemical analyzer	422/64	222/390; 422/100; 422/63; 422/8;
US 5306228 A	Brain wave synchroni	600/27	
US 5255211 A	Methods and apparatus	703/6	700/90
US 5250262 A	Chemical analyzer	422/64	422/63; 422/82.05; 436/46
US 5235326 A	Multi-mode identificati	340/10.41	340/10.34; 340/5.8
US 5089229 A	Chemical analyzer	422/64	422/63; 422/82.05; 436/46
US 4864462 A	Capacitive gas detect	361/280	324/663; 338/34; 361/525
US 4795968 A	Gas detection method	422/88	324/674; 324/71.1; 324/71.5; 338
US 3824597 A	DATA TRANSMISSIO	370/215	370/276; 370/477; 455/3.05

Lg (cont)